

Revision date 11-Nov-2019

TRI-FIXX ROOF & GUTTER GREY Revision Number 1

Revision Number 1 Supersedes Date: 25-May-2020

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name TRI-FIXX ROOF & GUTTER GREY

Product Code(s) 30613515 30613515

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Carcinogenicity Category 2 - (H351)

Label elements

Health hazard



Australia - EN Page 1 / 10

TRI-FIXX ROOF & GUTTER GREY

Revision Number 1 Supersedes Date: 25-May-2020

Revision date 11-Nov-2019

Signal word

Warning

Hazard statements

H351 - Suspected of causing cancer

Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

Precautionary Statements - Response

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	22984-54-9	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
2-Butanone, oxime	96-29-7	0 - <10
Toluene	108-88-3	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

FIRST AID

General advice IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Rinse mouth immediately and drink plenty of water. Get medical attention if symptoms

Australia - EN Page 2/10

TRI-FIXX ROOF & GUTTER GREY

Revision Number 1 Supersedes Date: 25-May-2020

occur.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the No information available.

chemical

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision date 11-Nov-2019

gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Methods for cleaning up

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing.

Australia - EN Page 3 / 10

TRI-FIXX ROOF & GUTTER GREY

Revision Number 1 Supersedes Date: 25-May-2020

Revision date 11-Nov-2019

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits . Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Chemical name	Australia
Toluene	50 ppm TWA
108-88-3	191 mg/m³ TWA
	150 ppm STEL
	574 mg/m ³ STEL

OEL as published by Safe Work Australia

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves. Butyl rubber. Nitrile rubber. Ensure that the breakthrough time of

the glove material is not exceeded. Refer to glove supplier for information on

breakthrough time for specific gloves.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Organic gases and vapors filter conforming to EN 14387 White Brown

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Paste / Gel Liquid Appearance Very viscous Paste

ColorGrayOdorOrganic

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not applicable .

Melting point / freezing point No data available No data available

Australia - EN Page 4/10

TRI-FIXX ROOF & GUTTER GREY

Revision Number 1 Supersedes Date: 25-May-2020

Revision date 11-Nov-2019

Evaporation rate No data available Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available No data available Vapor density Relative density No data available Water solubility Insoluble in water Solubility(ies) No data available No data available Partition coefficient **Autoignition temperature** No data available Hyphen No data available

Kinematic viscosity No data available

Dynamic viscosity 150000 - 250000 mPa s @ 23 °C

Explosive propertiesNo information available **Oxidizing properties**No information available

Other information

Solid content (%) No information available

VOC Content (%) 33 g/L

Density No information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Product cures with moisture.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition Methyl alcohol. May emit toxic fumes under fire conditions. Carbon oxides.

products

Section 11: Toxicological information

Acute Toxicity

Australia - EN Page 5/10

TRI-FIXX ROOF & GUTTER GREY

Revision Number 1 Supersedes Date: 25-May-2020

Revision date 11-Nov-2019

Information on likely routes of exposure

Product Information

Inhalation May cause irritation.

Eye contact May cause irritation.

Skin contact May cause irritation. May cause sensitization in susceptible persons.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 55,000.00 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone,	LD50 = 2463 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-
O,O',O''-(methylsilylidyne)trioxi	(OECD 401)	(OECD 402)	
me			
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
2-Butanone, oxime	=930 mg/kg (Rattus)	1000 - 1800 mg/kg	>4.83 mg/L (Rattus) 4 h
		(Oryctolagus cuniculus)	
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Oryctolagus	>20 mg/L (Rattus) 4 h
		cuniculus)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Okin Con Colon, in thation	. 540	oa on avanabio aata, ti	io diadoniloation ont	ona aro nocinoci	
Component Information					
N-(3-(trimethoxysilyl)prop	oyl)ethylenediamii	ne (1760-24-3)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitizationBased on available data, the classification criteria are not met. May cause sensitization in susceptible persons.

Component Information				
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Method	Species	Exposure route	Results	
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitizing	
Sensitization				

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen.

Australia - EN Page 6 / 10

TRI-FIXX ROOF & GUTTER GREY

Revision Number 1

Revision date 11-Nov-2019 Supersedes Date: 25-May-2020

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia
2-Butanone, oxime	Carc. 2
96-29-7	

Reproductive toxicity

No information available.

Component Information			
Toluene (108-88-3)			
Method	Species	Results	
OECD 407	in vivo	Reproductive toxicant	

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard Not applicable.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity .

	Almost and a standard	F' 1	T. 1.12 4.	0
Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
2-Butanone,	EC50 (72h) = 94 mg/L	EC50 (96h) >120 mg/L	-	EC50 (48h) > 120 mg/L
O,O',O"-(methylsilylidyn	(Pseudokirchneriella	(Oncorhynchus		(Daphnia magna) OECD
e)trioxime	subcapitata) OECD 201	mykiss)Freshwater static		202
22984-54-9		(OECD guideline 203)		
N-(3-(trimethoxysilyl)pro	-	LC50 (96H) =597 mg/L	-	EC50 (48h) =81mg/L
pyl)ethylenediamine		(Danio rerio)Semi-static		Daphnia magna Static
1760-24-3				
2-Butanone, oxime	EC50: =83mg/L (72h,	LC50: =760mg/L (96h,	EC50 = 281 mg/L 17 h	EC50: =750mg/L (48h,
96-29-7	Desmodesmus	Poecilia reticulata)	EC50 = 950 mg/L 5 min	Daphnia magna)
	subspicatus)	LC50: 777 - 914mg/L		
		(96h, Pimephales		
		promelas) LC50: 320 -		
		1000mg/L (96h,		
		Leuciscus idus)		
Toluene	EC50 72 h = 12.5 mg/L	LC50 96 h 5.89 - 7.81	EC50 = 19.7 mg/L 30	EC50: =11.5mg/L (48h,
108-88-3	(Pseudokirchneriella	mg/L (Oncorhynchus	min	Daphnia magna) EC50:
	subcapitata)	mykiss flow-through)		5.46 - 9.83mg/L (48h,
		LC50 96 h = 5.8 mg/L		Daphnia magna)
		(Oncorhynchus mykiss		
		semi-static)		

Persistence and degradability

Persistence and degradability Not readily biodegradable. Product cures with moisture.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Australia - EN Page 7/10

TRI-FIXX ROOF & GUTTER GREY

Revision Number 1 Supersedes Date: 25-May-2020

Chemical name	Partition coefficient
2-Butanone, O,O',O"-(methylsilylidyne)trioxime 22984-54-9	1.69
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3
2-Butanone, oxime 96-29-7	0.65
Toluene 108-88-3	2.7

Mobility

Mobility in soil No information available.

Mobility Insoluble in water.

Other Adverse Effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

Revision date 11-Nov-2019

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

National pollutant inventory

Subject to reporting requirement

Chemical name National pollutant inventory
--

Australia - EN Page 8 / 10

TRI-FIXX ROOF & GUTTER GREY

Revision Number 1 Supersedes Date: 25-May-2020

Revision date 11-Nov-2019

Toluene 108-88-3	10 tonne/yr Threshold category 1 20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total 2000 tonne/yr Threshold category 2b total

International Inventories

AICS Listed
NZIOC Listed
ENCS Not Listed
IECSC Not Listed
KECL Not Listed
PICCS Listed

Legend:

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 11-Nov-2019

Revision note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Australia - EN Page 9/10

TRI-FIXX ROOF & GUTTER GREY **Revision Number** 1

Revision date 11-Nov-2019 **Supersedes Date**: 25-May-2020

End of Safety Data Sheet

Australia - EN Page 10 / 10